

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050055321".pn.	US-PGPUB; USPAT	OR	ON	2007/11/26 08:09
L2	4	(@ad<"20030331" @rlad<"20030331") and ( directory).clm. and (database). clm. and ( (\$4mail electronic) adj (profile address) ).clm. and ( (search\$3 select retriev\$3 query\$5 inquir\$4 determin\$5 find\$5 look\$5) near4 (profile address \$4mail) ).clm. and ( (search\$3 select retriev\$3 query\$5 inquir\$4 determin\$5 find\$5 look\$5) near4 (affinity affiliat\$3 favorit\$3 desir\$5 interest\$5 demograph\$5 viewed visited permission opt-in taxonomy) ).clm.	US-PGPUB; USPAT	OR	ON	2007/11/26 09:13
L3	6	( directory).clm. and (database). clm. and ( (\$4mail electronic) adj (profile address) ).clm. and ( (search\$3 select retriev\$3 query\$5 inquir\$4 determin\$5 find\$5 look\$5) near4 (profile address \$4mail) ).clm. and ( (search\$3 select retriev\$3 query\$5 inquir\$4 determin\$5 find\$5 look\$5) near4 (affinity affiliat\$3 favorit\$3 desir\$5 interest\$5 demograph\$5 viewed visited permission opt-in taxonomy) ).clm.	US-PGPUB; USPAT	OR	ON	2007/11/26 09:13
S1	542	(@ad<"20030331" @rlad<"20030331") and ( open adj2 directory)	US-PGPUB; USPAT	OR	ON	2007/11/26 09:05
S2	8	(@ad<"20030331" @rlad<"20030331") and ( open adj2 directory) and (\$3mail adj directory)	US-PGPUB; USPAT	OR	ON	2007/11/19 10:22
S3	19	(@ad<"20030331" @rlad<"20030331") and ( ( targeted ) near9 (\$3mail spider\$3 crawl\$5 ) ) and ( (permission) near9 (\$3mail) )	US-PGPUB; USPAT	OR	ON	2007/11/19 10:27
S4	4	(@ad<"20030331" @rlad<"20030331") and ( ( targeted ) near9 (\$3mail spider\$3 crawl\$5 ) ) and ( (permission) near9 (\$3mail) ) and (sender near9 (charge fee cost) )	US-PGPUB; USPAT	OR	ON	2007/11/21 08:06

## EAST Search History

S5	1	(@ad<"20030331" @rlad<"20030331") and ( ( targeted ) near9 (\$3mail spider\$3 crawl\$5 ) ) and ( (permission) near9 (\$3mail) ) and ( (priorit\$5 rank\$5 prefer\$5 rating star premium ) near9 (charge fee cost) ) )	US-PGPUB; USPAT	OR	ON	2007/11/19 10:32
S6	79	(@ad<"20030331" @rlad<"20030331") and ( (sender ) near9 (charge fee cost) ) and ( (priorit\$5 rank\$5 prefer\$5 rating star premium ) near9 (charge fee cost) ) )	US-PGPUB; USPAT	OR	ON	2007/11/19 15:47
S7	0	(@ad<"20030331" @rlad<"20030331") and ( (sender ) near9 (charge fee cost) ) and ( (priorit\$5 rank\$5 prefer\$5 rating star premium ) near9 (charge fee cost) ) and (taxonomy adj tree)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:51
S8	0	(@ad<"20030331" @rlad<"20030331") and ( (sender ) near9 (charge fee cost) ) and (taxonomy adj tree)	US-PGPUB; USPAT	OR	ON	2007/11/19 15:51
S9	76	(@ad<"20030331" @rlad<"20030331") and (taxonomy adj tree)	US-PGPUB; USPAT	OR	ON	2007/11/20 10:02
S10	26	(@ad<"20030331" @rlad<"20030331") and (taxonomy adj tree) and ( (frequent\$3 adj2 (ask\$3 answer\$5 question quer\$5) ) FAQ )	US-PGPUB; USPAT	OR	ON	2007/11/20 10:06
S11	9	(@ad<"20030331" @rlad<"20030331") and (taxonomy adj tree) and ( (frequent\$3 adj2 (ask\$3 answer\$5 question quer\$5) ) FAQ ) and (feedback (user adj2 (reply answer) ) ) )	US-PGPUB; USPAT	OR	ON	2007/11/20 10:47
S12	4	(@ad<"20030331" @rlad<"20030331") and (public adj (mailbox inbox ) ) and (private adj (mailbox inbox) )	US-PGPUB; USPAT	OR	ON	2007/11/20 13:19
S13	0	(@ad<"20030331" @rlad<"20030331") and ( (daily day) near3 (maximum limit ) ) and ( (daily day) near3 ( (unsolicited new) adj (\$3mail message) ) )	US-PGPUB; USPAT	OR	ON	2007/11/20 13:21

## EAST Search History

S14	78	(@ad<"20030331" @rlad<"20030331") and ( (daily day) near9 ( (unsolicited new) adj (\$3mail message) ) )	US-PGPUB; USPAT	OR	ON	2007/11/20 13:21
S15	19	(US-20040103160-\$ or US-20060277175-\$ or US-20060224526-\$ or US-20020032602-\$ or US-20020120702-\$ or US-20060116900-\$ or US-20020038337-\$ or US-20060041505-\$ or US-20020143631-\$ or US-20030163485-\$ or US-20010049688-\$ or US-20030233419-\$ or US-20040201625-\$).did. or (US-6708205-\$ or US-7085745-\$ or US-7280982-\$ or US-5893903-\$ or US-7200606-\$ or US-7149778-\$).did.	US-PGPUB; USPAT	OR	ON	2007/11/20 14:21
S16	2	S15 and ( (defer\$3 delay\$3 postpon\$5 hold\$5) near5 (delivery forward\$3) )	US-PGPUB; USPAT	OR	ON	2007/11/20 14:30
S17	43	(@ad<"20030331" @rlad<"20030331") and ( (defer\$3 delay\$3 postpon\$5 hold\$5) near5 (delivery forward\$3) ) and ( (defer\$3 delay\$3 postpon\$5 hold\$5) near5 (fee postage ) ) and ("709" "705").clas.	US-PGPUB; USPAT	OR	ON	2007/11/20 15:07
S18	30	(@ad<"20030331" @rlad<"20030331") and ( (defer\$3 delay\$3 postpon\$5 hold\$5) near9 (delivery forward\$3) ) and ( (defer\$3 delay\$3 postpon\$5 hold\$5) near9 (fee postage ) ) and ("709" "705").clas. not S17	US-PGPUB; USPAT	OR	ON	2007/11/20 15:08
S19	4	(@ad<"20030331" @rlad<"20030331") and ( (targeted ) near9 (\$3mail spider\$3 crawl\$5 ) ) and ( (permission) near9 (\$3mail) ) and (sender near9 (charge fee cost) )	US-PGPUB; USPAT	OR	ON	2007/11/21 08:07

## EAST Search History

S20	13	(@ad<"20030331" @rlad<"20030331") and ( ( targeted ) near9 (\$3mail spider\$3 crawl\$5 adverti\$5 ) ) and ( (permission opt-in opt ) near9 (\$3mail) ) and (sender near9 (charge fee cost) ) not S19	US-PGPUB; USPAT	OR	ON	2007/11/21 08:48
S21	0	("20060041505").pn. and (unread ( "not read" ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 08:31
S22	1	("20060041505").pn.	US-PGPUB; USPAT	OR	ON	2007/11/21 08:31
S23	1	("20060041505").pn. and (\$5read)	US-PGPUB; USPAT	OR	ON	2007/11/21 08:31
S24	11	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5) near9 (unread ("not read" ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 09:02
S25	0	(@ad<"20030331" @rlad<"20030331") and ( ( targeted affinity) near9 (\$3mail spider\$3 crawl\$5 adverti\$5 ) ) and ( ( permission opt-in opt ) near9 (\$3mail) ) and (sender near9 (charge fee cost) ) not ( S19 S20)	US-PGPUB; USPAT	OR	ON	2007/11/21 08:48
S26	59	(@ad<"20030331" @rlad<"20030331") and ( ( targeted affinity) near9 (\$3mail spider\$3 crawl\$5 adverti\$5 ) ) and ( ( permission opt-in opt ) near9 (\$3mail) ) and ( (advertiser sender merchant) near9 (charge fee cost) ) not ( S19 S20)	US-PGPUB; USPAT	OR	ON	2007/11/21 09:22
S27	0	S26 and (forward\$5 re-direct\$3 redirect\$5 roll\$5) near9 (unread ("not read" ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 09:02
S28	2	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5) near9 (unread ("not read" ) ) not S24	US-PGPUB; USPAT	OR	ON	2007/11/21 09:22
S29	48	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5) near9 (unread unopened ("not read" "not opened" ) ) not S24	US-PGPUB; USPAT	OR	ON	2007/11/21 09:48
S30	329	(@ad<"20030331" @rlad<"20030331") and (alternat\$3) adj2 (recipient )	US-PGPUB; USPAT	OR	ON	2007/11/21 09:22

## EAST Search History

S31	14	(@ad<"20030331" @rlad<"20030331") and ( (targeted affinity) near9 (\$3mail spider\$3 crawl\$5 adverti\$5 \$3mail ) ) and (alternat\$4 adj3 (recipient) )	US-PGPUB; USPAT	OR	ON	2007/11/21 09:23
S32	247	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( alternat\$5 near3 (recipient \$5box address) ) ) same( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S24 S29)	US-PGPUB; USPAT	OR	ON	2007/11/21 09:50
S33	247	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( alternat\$5 near3 (recipient \$5box address) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S24 S29)	US-PGPUB; USPAT	OR	ON	2007/11/21 09:51
S34	6	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( alternat\$5 near3 (recipient \$5box address) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S24 S29) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 09:54
S35	2	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S24 S29 S34) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 10:03

## EAST Search History

S36	21	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened" " not replied" (no adj reply) ) near9 (\$3mail message) ) ) not (S24 S29 S34 S35) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 10:16
S37	28	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S24 S29 S34 S35 S36) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 10:35
S38	0	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in next) near3 (recipient \$5box address member subscriber user affiliate partner associate agent service provider match\$3) ) ) same ( (unread unopened ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S24 S29 S34 S35 S36 S37) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 10:37

## EAST Search History

S39	1027	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in next) near3 (recipient \$5box address member subscriber user affiliate partner associate agent service provider match\$3) ) ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S24 S29 S34 S35 S36 S37) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06
S40	29	S39 and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ).ab.	US-PGPUB; USPAT	OR	ON	2007/11/21 10:38
S41	11	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5) near9 (unread ("not read" ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06
S42	48	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5) near9 (unread unopened ("not read" "not opened" ) ) not S41	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06
S43	6	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( alternat\$5 near3 (recipient \$5box address) ) ) same ( (unread unopened ("not read" "not opened" ) near9 (\$3mail message) ) ) not (S41 S42) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06

## EAST Search History

S44	2	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S41 S42 S43) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06
S45	21	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened" " not replied" (no adj reply) ) near9 (\$3mail message) ) ) not (S41 S42 S43 S44) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06
S46	28	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S41 S42 S43 S44 S45) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:06



## EAST Search History

S47	1027	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in next) near3 (recipient \$5box address member subscriber user affiliate partner associate agent service provider match\$3) ) ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S41 S42 S43 S44 S45 S46) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:29
S48	19	S47 and ( (marketing advertis\$3 solicitation commercial ) near9 (sequen\$5) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:16
S49	1	S47 and ( (marketing advertis\$3 solicitation commercial ) near9 (sequen\$5 viral) ) not S48	US-PGPUB; USPAT	OR	ON	2007/11/21 13:12
S50	432	S47 and ( (first next best) near9 (available option) )	US-PGPUB; USPAT	OR	ON	2007/11/21 13:17
S51	222	S47 and ( (first next best) near9 (available option) ) and ("705" "709").clas.	US-PGPUB; USPAT	OR	ON	2007/11/21 13:17
S52	117	S47 and ( (first next best) adj3 (available option) ) and ("705" "709").clas.	US-PGPUB; USPAT	OR	ON	2007/11/21 13:17

## EAST Search History

S53	25	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in next) near3 (recipient \$5box address member subscriber user affiliate partner associate agent service provider match\$3) ) ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) and ( (first next best) near3 (available option interested) ) and ("705" "709"). clas. not S52	US-PGPUB; USPAT	OR	ON	2007/11/21 13:36
S54	303	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) and ("705" "709").clas. not S52	US-PGPUB; USPAT	OR	ON	2007/11/21 13:38
S55	73	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) near9 ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) and ("705" "709").clas. not S52	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S56	11	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5) near9 (unread ("not read" )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09

## EAST Search History

S57	48	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5) near9 (unread unopened ("not read" "not opened") ) not S56	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S58	6	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( alternat\$5 near3 (recipient \$5box address) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S56 S57) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S59	2	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened") near9 (\$3mail message) ) ) not (S56 S57 S58) and (advertis\$3 near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S60	21	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("not read" "not opened" " not replied" (no adj reply) ) near9 (\$3mail message) ) ) not (S56 S57 S58 S59) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09

## EAST Search History

S61	28	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in) near3 (recipient \$5box address member subscriber user affiliate associate agent service provider match\$3) ) ) same ( (unread unopened ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S56 S57 S58 S59 S60) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S62	1027	(@ad<"20030331" @rlad<"20030331") and (forward\$5 re-direct\$3 redirect\$5 roll\$5 ( ( alternat\$5 another second\$3 substitut\$3 backup stand-in next) near3 (recipient \$5box address member subscriber user affiliate partner associate agent service provider match\$3) ) ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj reply) ) near9 (\$3mail message) ) ) not (S56 S57 S58 S59 S60 S61) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S63	117	S62 and ( (first next best) adj3 (available option) ) and ("705" "709").clas.	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09
S64	73	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) near9 ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material) ) and ("705" "709").clas. not S63	US-PGPUB; USPAT	OR	ON	2007/11/21 14:09

## EAST Search History

S65	2	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) near9 ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material compound ) ) and ("705" "709").clas. not (S63 S64)	US-PGPUB; USPAT	OR	ON	2007/11/21 14:14
S66	0	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) near9 ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) near9 (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material ) ) and ("705" "709").clas. and (compound adj marketing)	US-PGPUB; USPAT	OR	ON	2007/11/21 14:15
S67	1	(@ad<"20030331" @rlad<"20030331") and ( (forward\$5 re-direct\$3 redirect\$5 roll\$5 ) same ( (unread unopened rejected accepted deleted ("been read" "been opened" replied (no adj ( reply response) ) ) same (\$3mail message) ) ) ) and ( (marketing advertis\$3 solicitation commercial ) near9 (\$5mail message material ) ) and ("705" "709").clas. and (compound adj marketing)	US-PGPUB; USPAT	OR	ON	2007/11/21 14:15
S68	2	(@ad<"20030331" @rlad<"20030331") and ("705" "709").clas. and (compound adj marketing)	US-PGPUB; USPAT	OR	ON	2007/11/21 14:16
S69	2	(@ad<"20030331" @rlad<"20030331") and ("705" "709").clas. and (compound adj (forwarding marketing) )	US-PGPUB; USPAT	OR	ON	2007/11/21 14:16